2,031,000.÷
31.=
65,516.1290322*

65,516.1290322×
.10.%
6,551.6129032*

6,551.6129032+
72,067.7419354*

AWGIE

PRETREATMENT MONITORING REPORT

RECEIVED
JUN 17 2008
INDUSTRIAL DEPARTMENT

NAME: SANDVIK COROMANT MANUFACTURING

MAILING ADDRESS: 1702 NEVINS ROAD FAIRLAWN, NJ 07410

FACILITY LOCATION: 1702 NEVINS ROAD FAIRLAWN, NJ 07410

CATEGORY & SUBPART: UNKNOWN OUTLET #: 1

CONTACT OFFICIAL: ALBERT MIPS TELEPHONE: 201-794-5106

NEW CUSTOMER ID / OUTLET ID: 08630002 - 1 OLD OUTLET DESIGNATION: _____

MONITORING PERIOD

Start			End		
05	01	08	05	31	08
MO	DAY	YR	MO	DAY	YR

	Average	Maximum
Regulated Flow-gal/day	65,516 x 10% = 72,067 GAL MAX FLOW	
Total Flow-gal/day	65516	72,068

Method Used: _____

Production Rate (if applicable) _____

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE
		MON AVG	MAXIMUM	UNITS		COMP/GRAB
IOCHEMICAL OX	Sample Measurement		<2.00	MG/L	1	COMP.
	Permit Requirement	0		MG/L		
CADMIUM	Sample Measurement		<0.004	MG/L	1	COMP.
	Permit Requirement	0.19		MG/L		
COPPER	Sample Measurement		<0.025	MG/L	1	COMP.
	Permit Requirement	3.02		MG/L		
LEAD	Sample Measurement		<0.003	MG/L	1	COMP.
	Permit Requirement	0.54		MG/L		
MERCURY	Sample Measurement		<0.0002	MG/L	1	COMP.
	Permit Requirement	0.080		MG/L		
NICKEL	Sample Measurement		<0.04	MG/L	1	COMP.
	Permit Requirement	5.9		MG/L		
ZINC	Sample Measurement		<0.02	MG/L	1	COMP.
	Permit Requirement	1.67		MG/L		
NON-POLAR MATE	Sample Measurement		<5.1	MG/L	1	COMP.
	Permit Requirement		100	MG/L		
TOTAL TOXIC OR	Sample Measurement		0.2049	MG/L	1	COMP.
	Permit Requirement	2.13		MG/L		
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

JUL 2008 2nd Input Industrial Dept

1st Input Industrial Dept 8005 JOC

PVSC FORM MR-1 REV: 4 6/87 P 1

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets): _____

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: SANDVIK IS IN COMPLIANCE

Explain Method for preserving samples: SAMPLES ARE PRESERVED IN NITRIC ACID AT pH NO LESS THAN 2.0

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Signature of Principal
Executive or Authorized Agent

ALBERT MIPS
FACILITIES MANAGER
Type Name and Title

6/16/08
Date

PVSC FORM MR-1 REV: 5 3/91 P 2

e-Hardcopy 2.0
Automated Report

New Jersey ACCUTEST Laboratories

IT'S ALL IN THE CHEMISTRY

06/16/08

Technical Report for

Sandvik Coromant Manufacturing

Monthly PVSC Permit, Fairlawn, NJ

Accutest Job Number: J89597

Sampling Date: 05/01/08

Report to:

Sandvik Coromant Manufacturing

albert.mips@sandvik.com

ATTN: Albert Mips

Total number of pages in report: **15**

ACCUTEST LABORATORIES 50 YEARS 1956-2006

ACCREDITED IN ACCORDANCE WITH nelac

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Vincent J. Pugliese
President

Client Service contact: Nadine Yakes 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

Test results relate only to samples analyzed.

Table of Contents

Sections: 1 2 3 4

-1-

1

Accutest LabLink@447110 13:13 16-Jun-2008

Sample Summary

Sandvik Coromant Manufacturing

Monthly PVSC Permit, Fairlawn, NJ

Job No: J89597

Sample Number	Collected Date	Time	By	Received	Matrix Code	Matrix Type	Client Sample ID
J89597-1	05/01/08	13:25	HM	05/01/08	AQ	Water	BASEMENT SUMP 24 HR COMPOSITE
J89597-2	05/01/08	13:30	HM	05/01/08	AQ	Water	BASEMENT SUMP GRAB

ACCUTEST Laboratories

2

CASE NARRATIVE / CONFORMANCE SUMMARY

Client: Sandvik Coromant Manufacturing **Job No** J89597

Site: Monthly PVSC Permit, Fairlawn, NJ **Report Date** 5/28/2008 11:23:15 AM

On 05/01/2008, 2 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at Accutest Laboratories at a temperature of 2.8 C. Samples were intact and properly preserved, unless noted below. An Accutest Job Number of J89597 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method EPA 624

Matrix: AQ **Batch ID:** VT4569

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) J89517-4MS, J89517-4MSD, J89517-4MSMSD were used as the QC samples indicated.
- Matrix Spike Recovery(s) for 2-Chloroethyl vinyl ether are outside control limits. Probable cause due to acid preservation.
- Matrix Spike Duplicate Recovery(s) for 2-Chloroethyl vinyl ether are outside control limits. Probable cause due to acid preservation.

Metals By Method SW846 6010B

Matrix: AQ **Batch ID:** MP43533

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) J89452-2MS, J89452-2MSD, J89452-2SDL were used as the QC samples for metals.
- RPD(s) for Serial Dilution for Copper, Nickel, Zinc are outside control limits for sample MP43533-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

Metals By Method SW846 7470A

Matrix: AQ **Batch ID:** MP43621

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) J89561-12MSD, J89561-12MS were used as the QC samples for metals.
- Matrix Spike Recovery(s) for Mercury are outside control limits. Spike recovery indicates possible matrix interference.
- RPD(s) for MSD for Mercury are outside control limits for sample MP43621-S2. High rpd due to possible sample matrix interference.

Wet Chemistry By Method EPA 1664A

Matrix: AQ	Batch ID: GP43963

- All samples were prepared within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) J89716-1DUP, J89871-1MS were used as the QC samples for HEM Petroleum Hydrocarbons.

Wet Chemistry By Method SM20 2540D

Matrix: AQ	Batch ID: GN14449

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) J89668-1DUP were used as the QC samples for Solids, Total Suspended.
- J89597-1 for Solids, Total Suspended: Sample received outside the holding time.

Wet Chemistry By Method SM20 5210B

Matrix: AQ	Batch ID: GP43901

- All samples were prepared within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) J89668-1DUP were used as the QC samples for BOD, 5 Day.

Field Data By Method SM20 4500H B

Matrix: AQ	Batch ID: R71799

- The data for SM20 4500H B meets quality control requirements.

Accutest certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting Accutest's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

Accutest Laboratories is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by Accutest Laboratories indicated via signature on the report cover

Sample Results

Report of Analysis

Accutest LabLink@447110 13:13 16-Jun-2008

Report of Analysis

Client Sample ID:	BASEMENT SUMP 24 HR COMPOSITE		
Lab Sample ID:	J89597-1	**Date Sampled:**	05/01/08
Matrix:	AQ - Water	**Date Received:**	05/01/08
		Percent Solids:	n/a
Project:	Monthly PVSC Permit, Fairlawn, NJ		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed	By	Method	Prep Method
Cadmium	< 4.0	4.0	ug/l	1	05/08/08	05/08/08	VC	SW846 6010B [1]	SW846 3010A [3]
Copper	< 25	25	ug/l	1	05/08/08	05/08/08	VC	SW846 6010B [1]	SW846 3010A [3]
Lead	< 3.0	3.0	ug/l	1	05/08/08	05/08/08	VC	SW846 6010B [1]	SW846 3010A [3]
Mercury	< 0.20	0.20	ug/l	1	05/15/08	05/15/08	JF	SW846 7470A [2]	SW846 7470A [4]
Nickel	< 40	40	ug/l	1	05/08/08	05/08/08	VC	SW846 6010B [1]	SW846 3010A [3]
Zinc	< 20	20	ug/l	1	05/08/08	05/08/08	VC	SW846 6010B [1]	SW846 3010A [3]

(1) Instrument QC Batch: MA20855
(2) Instrument QC Batch: MA20885
(3) Prep QC Batch: MP43533
(4) Prep QC Batch: MP43621

RL = Reporting Limit

Accutest LabLink@447110 13:13 16-Jun-2008

Report of Analysis

Client Sample ID:	BASEMENT SUMP GRAB		
Lab Sample ID:	J89597-2	**Date Sampled:**	05/01/08
Matrix:	AQ - Water	**Date Received:**	05/01/08
Method:	EPA 624	**Percent Solids:**	n/a
Project:	Monthly PVSC Permit, Fairlawn, NJ		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	T119824.D	1	05/08/08	JLI	n/a	n/a	VT4569
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TVO List

CAS No.	Compound	Result	RL	MDL	Units	Q
107-02-8	Acrolein	ND	50	13	ug/l	
107-13-1	Acrylonitrile	ND	10	4.7	ug/l	
542-88-1	Bis(chloromethyl)ether	IND			ug/l	
71-43-2	Benzene	ND	1.0	0.18	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.14	ug/l	
75-25-2	Bromoform	ND	1.0	0.27	ug/l	
74-83-9	Bromomethane	ND	1.0	0.75	ug/l	
56-23-5	Carbon tetrachloride	2.8	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.13	ug/l	
75-00-3	Chloroethane	ND	1.0	0.33	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	5.0	0.73	ug/l	
67-66-3	Chloroform	5.8	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.42	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.18	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.30	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.23	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.69	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.76	ug/l	
75-34-3	1,1-Dichloroethane	3.2	1.0	0.70	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.48	ug/l	
75-35-4	1,1-Dichloroethene	2.7	1.0	0.58	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.4	1.0	0.56	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.38	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.40	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.16	ug/l	
123-91-1	1,4-Dioxane	ND	130	58	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
151-56-4	Ethylenimine	IND			ug/l	
75-09-2	Methylene chloride	ND	1.0	0.19	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.26	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@447110 13:13 16-Jun-2008

Report of Analysis

Client Sample ID:	BASEMENT SUMP GRAB		
Lab Sample ID:	J89597-2	**Date Sampled:**	05/01/08
Matrix:	AQ - Water	**Date Received:**	05/01/08
Method:	EPA 624	**Percent Solids:**	n/a
Project:	Monthly PVSC Permit, Fairlawn, NJ		

VOA TVO List

CAS No.	Compound	Result	RL	MDL	Units	Q
127-18-4	Tetrachloroethene	176	1.0	0.28	ug/l	
108-88-3	Toluene	ND	1.0	0.31	ug/l	
71-55-6	1,1,1-Trichloroethane	2.8	1.0	0.24	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.61	ug/l	
79-01-6	Trichloroethene	7.2	1.0	0.20	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	1.2	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.35	ug/l	
1330-20-7	Xylenes (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4 (SUR)	110%		62-139%
2037-26-5	Toluene-D8 (SUR)	100%		85-120%
460-00-4	4-Bromofluorobenzene (SUR)	92%		74-118%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@447110 13:13 16-Jun-2008

Report of Analysis

Client Sample ID:	BASEMENT SUMP GRAB		
Lab Sample ID:	J89597-2	**Date Sampled:**	05/01/08
Matrix:	AQ - Water	**Date Received:**	05/01/08
		Percent Solids:	n/a
Project:	Monthly PVSC Permit, Fairlawn, NJ		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
HEM Petroleum Hydrocarbons	< 5.1	5.1	mg/l	1	05/07/08	RM	EPA 1664A

Field Parameters

pH (Field)	6.40		su	1	05/01/08 13:30	HFM	SM20 4500H B

RL = Reporting Limit



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

Nadine M. Yakes

J89597
SCMTJF384A

Nadine Yakes
Client Service Representative
nadiney@accutest.com

4.1
4

Project Specifications

Turnaround Surcharges: 1 Day Add 75%, 2 Day Add 65%, 3-6 Day add 50%, 7 Day add 25%, 14 Day add 0%,

Deliverable: NJ Reduced

Accutest reserves the right to add charges beyond the initially quoted prices to recover the costs of additional sample cleanup and instrument downtime caused by extremely contaminated sample matrices. Clients will be notified of these additional charges

Prices include 1 unbound report, electronic data deliverables and use of LabLink.

Prices include all sampling kits, courier service (within service area) and sample disposal

This quotation is valid for sixty (60) days.

Samples submitted to Accutest on hold and not analyzed will be charged $15.00 for storage and handling.

This quotation is subject Accutest's STD terms and conditions, unless some other mutually acceptable terms and conditions are applicable.

Additional charges will apply for extended storage.

V624SL to include: Carbon Tetrachloride, Chloroform, Tetrachloroethylene, 1,1 Dichloroethane, 1,1 Dichloroethylene, Trichloroethane

A $7.50 energy/fuel surcharge will be applied to each Job (SDG).

Standard 21 Day Turnaround (Hardcopy)

Prices do not include sales or use taxes, if applicable.

Payment terms, NET 30 days from invoice date, unless otherwise stipulated by signed contract or work order.

Certifications: NJ #12129

J89597: Chain of Custody
Page 3 of 3

SANDVIK COMPANY
1702 Nevins Road
P.O. Box 428
Fair Lawn, NJ 07410-0428

GROUND WATER SEWAGE RECORDS 2008

PERIOD	DATE	METERED READINGS		METER A = PVSC SEWER (GALLONS) METER B= STORM DRAIN (GALLONS)			
		METER-A(05000626)	METER- B(07017639)				
JAN.	1/31	34,686,000	8,415,000	A	554,000	B	2,331,000
		34,132,000	6,084,000				
		A= 554,000	B= 2,331,000	A	554,000	B	2,331,000
FEB.	2/29	36,102,000	9,922,000	A	1,416,000	B	1,507,000
		34,686,000	8,415,000				
		A= 1,416,000	B= 1,507,000	A	1,416,000	B	1,507,000
MAR.	3/31	39,249,000	10,843,000	A	3,147,000	B	921,000
		36,102,000	9,922,000				
		A= 3,147,000	B= 921,000	A	3,147,000	B	921,000
APR.	4/30	40,949,000	12,698,000	A	1,700,000	B	1,855,000
		39,249,000	10,843,000				
		A= 1,700,000	B= 1,855,000	A	1,700,000	B	1,855,000
MAY	5/31	42,980,000	13,938,000	A	2,031,000	B	1,240,000
		40,949,000	12,698,000				
		A= 2,031,000	B= 1,240,000	A	2,031,000	B	1,240,000
JUNE	6/30			A	0	B	0
		A=	B=	A	0	B	0
JULY	7/31			A	0	B	0
		A=	B=	A	0	B	0
AUG.	8/31			A	0	B	
		A=	B=	A	0	B	0
SEPT.	9/30			A	0	B	0
		A=	B=	A	0	B	0
OCT.	10/31			A	0	B	0
		A=	B=	A	0	B	0
NOV.	11/30			A	0	B	0
		A=	B=	A	0	B	0
DEC.	12/31			A	0	B	0
		A=	B=	A	0	B	0
YTD TOTAL				A	8,848,000	B	7,854,000

ACCUTEST Laboratories

J89597
SCMNJF3847

Quotation for Analytical Services

April 15, 2008

CLIENT: Sandvik Coromant Manufacturing
1702 Nevins Road
Fairlawn, NJ 07410

ATTENTION: Albert Mips

PROJECT: Permit Sampling

QUOTE NO.: NY4/2008-278 (Please Record on Chain of Custody)

Test Code	Parameter	Method	Matrix	Unit Cost	Quantity	Extended Cost
	PVSC Permit Sampling					
BOD	Biochemical Oxygen Demand	SM20 5210B	AQ	$30.00	1	$30.00
TSS	Solids, Total Suspended	SM20 2540D	AQ	$20.00	1	$20.00
PHF	pH, Field	SM20 4500H B	AQ	$5.00	1	$5.00
PHC1664	Petroleum Hydrocarbons-Hexane	EPA 1664A	AQ	$45.00	1	$45.00
CD	Cadmium	EPA 200.7	AQ	$10.00	1	$10.00
CU	Copper	EPA 200.7	AQ	$10.00	1	$10.00
PB	Lead	EPA 200.7	AQ	$10.00	1	$10.00
HG	Mercury	SW846 7470A	AQ	$25.00	1	$25.00
NI	Nickel	EPA 200.7	AQ	$10.00	1	$10.00
ZN	Zinc	EPA 200.7	AQ	$10.00	1	$10.00
METDIG	Metals Digestion		AQ	$0.00	1	$0.00
V624TVO	Toxic Volatile Organics	EPA 624	AQ	$85.00	1	$85.00
	NJPDES Permit					
TSS	Solids, Total Suspended	SM20 2540D	AQ	$20.00	1	$20.00
PHF	pH, Field	SM20 4500H B	AQ	$7.00	1	$7.00
CU	Copper	EPA 200.7	AQ	$10.00	1	$10.00
ZN	Zinc	EPA 200.7	AQ	$10.00	1	$10.00
METDIG	Metals Digestion		AQ	$0.00	1	$0.00
TOC	Total Organic Carbon	M20 5310B/SW846 9060	AQ	$20.00	1	$20.00
V624SL	Volatiles Organics Special List	EPA 624	AQ	$90.00	1	$90.00
SAMPLING	$Quantity Hours @ $Price per Ho		AQ	$75.00	2.5	$187.50
MILEAGE	$Quantity Miles @ $Price per Mil		AQ	$0.48	124	$59.52
					TOTAL:	$664.02

J89597: Chain of Custody
Page 2 of 3

ACCUTEST

CHAIN OF CUSTODY

Fresh Ponds Corporate Village, Building B
2235 Route 130, Dayton, NJ 08810
908-329-0200 FAX: 908-329-3499/3480

Accutest Job #: J89597
Accutest Quote #: NY4/2008-278

Client Information		Facility Information	
Name	Sandvick Mnf.	Station	Sandvick
Address	1702 Nevins Road	Locatin	Monthly PVSC Permit
City / State / Zip	Fairlawn, N.J. 07410	Project #	Fairlawn, N.J.
Send Report to:	Mr. Albert Mips		
Phone #:	(201) 794-5106	FAX #:	

Field ID / Point of Collection	Collection Date	Collection Time	Sampled By	Matrix	# of bottles	HCL	NA2S3	Hno3	H2So4	None	BOD TSS	Cd, Cu, Pb, Hg, NI, Zn,			V624 TVO	PHC 1664	pHf
1 Basement Sump	5/01/08	13:25	HM	WW	3			x		x	X	X					
24 hr Composite																	
time: 13:00 to 13:00																	
date: 4/30/08 5/01/08																	
2 Basement Sump	5/01/08	13:30	HM	WW	5	x									X	X	X
Grab																	

Turnaround Information

- [X] 21 Day Standard
- [ ] 14 Days RUSH
- [ ] 7 Days EMERGENCY
- [ ] Other

Approved By:

21 Day Turnaround Hardcopy, Emergency or RUSH is FAX Data unless previously approved.

Data Deliverable Information

- [X] NJ Reduced
- [ ] NJ Full
- [ ] FULL CLP
- [ ] Disk Deliverable
- [ ] Other (Specify)
- [X] Commercial "A"
- [ ] Commercial "B"
- [ ] State Forms

Comments / Remarks

AMET 3
WC 44
HC 7
2199

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	05/01/08 15:45	1	2		2
3		3	4		4
5		5	Seal # 744 INTACT	Preserve where applicable (N)	On Ice ☒ Temperature 2.8 °C

A

MS.

J89597: Chain of Custody
Page 1 of 3

4.1
4

SANDVIK

June 16, 2008

Mr. Andy Caltagirone
Passaic Valley Sewage Commissioners
600 Wilson Ave.
Newark, NJ 07105

Re: Monitoring report May 2008.
Permit Number: 08630002

Dear Mr. Andy Caltagirone,

Please find enclosed our sewage discharge monthly monitoring reports for the period of 5/1/08 to 5/31/08.

For any additional information regarding this or any other matter, I can be reached at 201-794-5106 or by E-mail at *Albert.Mips@Sandvik.com*

Sincerely,
Albert W. Mips

Albert Mips

Facilities Engineering Manager